

# Hobie Wave Classic Line Guide

These Line Lengths Are For The Hobie Wave With A One Piece Trampoline

Description	Diameter		Line Type	Length	Qty
<b>Sheets</b>					
Mainsheet	5/16"	8mm	Yacht Braid / Spun Braid	35' 0"	1
<b>Control Lines</b>					
Main Halyard	1/4"	6mm	Order pt# 38651001		1
Sail Downhaul	3/16"	5mm	Prestretch Polyester	5' 0"	1
<b>Other</b>					
Fwd Tramp Tension Line	3/16"	5mm	Prestretch Polyester	2' 0"	2
Aft Tramp Tension Line	3/16"	5mm	Prestretch Polyester	3' 0"	2
Batten Tie	7/64"	2.5mm	Dacron Leechline	1' 6"	5
Righting Line	1/2"	12mm	Hollow Braid Polypropylene	15' 0"	1
<b>Jib and Spinnaker Kits</b>					
Jib Halyard	3/16"	5mm	Prestretch Polyester	27' 0"	1

Jib Sheet	1/4"	6mm	Yacht Braid / Spun Braid	27' 0"	1
Spinnaker Halyard	3/16"	5mm	Prestretch Polyester	45' 0"	1
Spinnaker Sheet	1/4"	6mm	Yacht Braid / Spun Braid	38' 0"	1

## Hobie Adventure Island Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Sheets</b>					
Mainsheet	1/4"	6mm	Doublebraid	32'	1
<b>Control Lines</b>					
Furling Line	3/16"	5mm	Doublebraid	12'	1
<b>Other</b>					
Ama to Aka Retainer	1/4"	6mm	Shockcord	1'	4
Batten Tie	3/32-1/8"	2-3mm	Leechline	1' 6"	2
Stern Deck Bungee	3/16"	5mm	Shockcord	9'	1
Front Hatch Retainer	3/16"	5mm	Shockcord	4' 6"	2

# Hobie Bravo Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Sheets</b>					
Mainsheet	5/16"	8mm	Yacht Braid / Spun Braid	29' 0"	1
<b>Control Lines</b>					
Furler Line	3/16"	5mm	Prestretch Polyester	9' 0"	1
Downhaul	5/32"	4mm	Prestretch Polyester	14' 0"	1
<b>Other</b>					
Batten Tie	7/64"	2.5mm	Leechline	1' 6"	3
Righting Line	1/2"	12mm	Hollow Braid Polypropylene	11' 0"	1
Righting Line Retractor	1/4"	6mm	Shock Cord	7' 0"	1
Clew tie	3/16"	5mm	Prestretch Polyester	1' 6"	1

# Hobie Getaway Line Guide

Description	Diameter	Line Type	Length	Qty
-------------	----------	-----------	--------	-----

<b>Halyards</b>					
Main Halyard			Order Part # 37651001		1
<b>Sheets</b>					
Mainsheet	3/8"	9mm	Doublebraid	38'	1
Jibsheet	5/16"	8mm	Doublebraid	32'	1
<b>Control Lines</b>					
Downhaul	1/4"	6mm	Doublebraid	5'	1
Jib Furler Line	1/8"	3mm	Leechline	22'	1
<b>Other</b>					
Aft Trampoline Center Lace Line	1/4"	6mm	Doublebraid	18'	1
Aft Trampoline Rear Lace Line	3/16"	5mm	Doublebraid	9'	2
Batten Tie	7/64-1/8"	2-3mm	Leechline	1' 6"	8
Front Trampoline Lace Line	3/16"	5mm	Doublebraid	15'	1
Jib Head to Forestay Tie	1/8"	3mm	Leechline	6'	1
Mast Preventer	1/4"	6mm	Shockcord	3'	1

Trapeze Shockcord	1/4"	6mm	Shockcord with 2 Loops	7'	1
Trapeze Shockcord with Wings	1/4"	6mm	Shockcord with 2 Loops	10'	1
Trapeze Shockcord with Wings	1/4"	6mm	Shockcord with 2 Loops	10'	1
Trapeze Adjuster	1/4"	6mm	Doublebraid	4'	2

## Hobie 14 Line Guide

---

Description	Diameter		Line Type	Length	Qty
<b>Sheets</b>					
Mainsheet	5/16 - 3/8"	8 - 9mm	Yacht Braid / Spun Braid	42' 0"	1
<b>Control Lines</b>					
Main Halyard – Non-Comptip	3/16"	5mm	Prestretch Polyester	22' 0"	1
Main Halyard - Comptip			Order part # 10657001		1
Mainsail Downhaul	3/16"	5mm	Prestretch Polyester	5' 0"	1
Mainsail Outhaul	3/16"	5mm	Prestretch Polyester	7' 6"	1
<b>Other</b>					
Center Tramp Lacing Line	1/4"	6mm	Prestretch Polyester	19' 0"	1

Aft Tramp Lacing Line	1/4"	6mm	Prestretch Polyester	15' 0"	2
Batten Tie	7/64"	2.5mm	Dacron Leechline	1' 6"	8
Righting Line	1/2"	12mm	Hollow Braid Polypropylene	15' 0"	1
Turbo Kit					
Jib Halyard	3/16"	5mm	Prestretch Polyester	18' 0"	1
Jib Sheet	5/16"	8mm	Yacht Braid / Spun Braid	32' 0"	1

## Hobie 16 Line Guide

---

Description	Diameter		Line Type	Length	Qty
<b>Halyards</b>					
Aussie Jib Halyard	5/32"	4mm	Covered Spectra	70' 0"	1
Jib Halyard Wire			Order Part # 20661001		1
Jib Halyard Tail	3/16"	5mm	Prestretch Polyester	20' 0"	1
Main Halyard – Non-Comptip	3/16"	5mm	Prestretch Polyester	27' 0"	1
Main Halyard - Comptip			Order part # 20617001		1
<b>Sheets</b>					

Jib Sheet	5/16"	8mm	Yacht Braid / Spun Braid	32' 0"	1
Mainsheet	5/16 - 3/8"	8 - 9mm	Yacht Braid / Spun Braid	44' 0"	1
<b>Control Lines</b>					
Mainsail Downhaul	3/16"	5mm	Prestretch Polyester	5' 0"	1
Mainsail Outhaul	3/16"	5mm	Prestretch Polyester	7' 6"	1
<b>Other</b>					
Aft Tramp Lacing Line	1/4"	6mm	Prestretch Polyester	15' 0"	2
Batten Tie	7/64"	2.5mm	Dacron Leechline	1' 6"	12
Center Tramp Lacing Line	1/4"	6mm	Prestretch Polyester	19' 0"	1
Trapeze Shockcord	1/4"	6mm	Shockcord with Loops at ends	7' 0"	2
Trapeze Adjustment	1/4"	6mm	Prestretch Polyester	3' 6"	4
Righting Line	1/2"	12mm	Hollow Braid Polypropylene	15' 0"	1

## Hobie 17 and 17 Sport Line Guide

Description	Diameter	Line Type	Length	Qty
-------------	----------	-----------	--------	-----

<b>Halyards</b>					
Jib Halyard Tail	1/8"	3mm	Leechline / Doublebraid	19' 0"	1
Main Halyard	3/16"	5mm	Doublebraid	70' 0"	1
<b>Sheets</b>					
Jibsheet	5/16"	8mm	Yacht Braid	32' 0"	1
Mainsheet	3/8"	9mm	Yacht Braid	46' 0"	1
<b>Control Lines</b>					
Downhaul	1/4"	6mm	Doublebraid	8' 0"	1
Jib Furler	1/8"	3mm	Leechline	17' 0"	1
Outhaul	3/16"	5mm	Doublebraid	4' 2"	1
<b>Other</b>					
Batten Tie	7/64 - 1/8"	2 - 3mm	Leechline	1' 6"	6
Centerboard	3/16"	5mm	Doublebraid	2' 0"	2
Jib Tensioner	1/8"	3mm	Leechline / Doublebraid	5' 6"	1
Mast Rotation	3/16"	5mm	Doublebraid	3' 0"	1



Tramp Lace-3 piece	1/4"	6mm	Yacht Braid	13' 0"	3
Tramp Lace-Diagonal	1/4"	6mm	Yacht Braid	27' 0"	1
Trap Shockcord	1/4"	6mm	Shockcord with 2-loops	11' 0"	1
Trap Adjustment	1/4"	6mm	Doublebraid	5' 0"	2

## Hobie 18 Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Halyards</b>					
Jib Halyard Line - 18	3/32 - 1/8"	2 - 3mm	Leechline / Doublebraid	20'	1
Jib Halyard Line - 18SX	3/32 - 1/8"	2 - 3mm	Leechline / Doublebraid	20'	1
Main Halyard Line - 18	3/16"	5mm	Doublebraid	58'	1
Main Halyard Line - 18SX	3/16"	5mm	Doublebraid	61'	1
<b>Sheets</b>					
Mainsheet Line	7/16"	10mm	Doublebraid	48'	1
Jibsheet Line	5/16"	7mm	Doublebraid	44'	1

<b>Control Lines</b>					
Downhaul Line - 18	3/16"	5mm	Doublebraid	5'	1
Downhaul Line - 18SX	3/16"	5mm	Doublebraid	7'	1
Mast Rotation Control	3/16"	5mm	Doublebraid	3'	1
Jib Furler Assy Line	1/8"	3mm	Leechline / Doublebraid	17'	1
Outhaul Line	3/16"	5mm	Doublebraid	7'	1
<b>Other</b>					
Aft Tramp Lace Line	1/4"	6mm	Yacht Braid	15'	2
Batten Tie	3/32 - 1/8"	2 - 3mm	Leechline / Doublebraid	1' 6"	10
Boom Shockcord	1/4"	6mm	Shockcord	7'	1
Center Tramp Lace	1/4"	6mm	Yacht Braid	19'	1
Daggerboard Shockcord	1/4"	6mm	Shockcord	3' 10"	2
Daggerboard Handles	7/16"	8mm	Doublebraid	2' 6"	2
Jib Luff Tensioner	1/8"	3mm	Leechline / Doublebraid	5' 6"	1
Jibsheet Tangle Preventer	1/4"	6mm	Shockcord	4' 6"	1

Storage Cover Line	5/16"	7mm	Doublebraid	1' 7"	2
Trap Shockcord	1/4"	6mm	Shockcord w Loop on 1 end	7'	4
Trap Adjustment	1/4"	6mm	Doublebraid	3' 6"	4
Wing Tramp Lacing Line	3/16"	5mm	Yacht Braid	32'	2

## Hobie 20 Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Halyards</b>					
Jib Halyard	3/32 - 1/8"	2 - 3mm	Leechline / Doublebraid	23'	1
Main Halyard	3/16"	5mm	Doublebraid	64'	1
<b>Sheets</b>					
Mainsheet	3/8"	8mm	Covered Spectra	41'	1
Jibsheet	5/16"	7mm	Covered Spectra	45'	1
<b>Control Lines</b>					
Downhaul	1/4"	6mm	Prestretch Polyester	25'	1

Barber Hauler	1/4"	6mm	Doublebraid	18'	1
Barber Hauler Tension Assy.	1/4"	6mm	Shockcord	3'	2
Mast Rotation Inducer	3/16"	5mm	Doublebraid	3' 6"	2
Mast Rotation Preventer	1/4"	6mm	Doublebraid	15'	1
<b>Other</b>					
Aft Trapeze Shockcord Assembly	1/4"	6mm	Shockcord	6'	1
Batten Tie	3/32 - 1/8"	2 - 3mm	Leechline / Doublebraid	1' 6"	8
Daggerboard Handle	5/8"	14mm	Doublebraid	2'	2
Fwd Trapeze Shockcord Assembly	1/4"	6mm	Shockcord	16' 4"	1
Hiking Strap	3/16"	5mm	Doublebraid	3' 6"	2
Jib Tensioner	3/16"	5mm	Prestretch Polyester	4' 6"	1
Jib Clew Attachment	1/4"	6mm	Doublebraid	2' 6"	1
Jibsheet Adjustment	1/4"	6mm	Doublebraid	10'	2
Jibsheet Shockcord Adjuster	1/4"	6mm	Shockcord	3'	2
Trampoline Lace	3/16"	5mm	Doublebraid	13'	1

Trapeze Adjustment	1/4"	6mm	Doublebraid	3' 6"	4
--------------------	------	-----	-------------	-------	---

## Hobie 21SE Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Halyards</b>					
Jib Halyard	3/32 - 1/8"	2 -3mm	Leechline / Doublebraid	24' 8"	1
Main Halyard	1/4"	6mm	Doublebraid	68'	1
<b>Sheets</b>					
Jibsheet	5/16"	7mm	Doublebraid	48'	1
Mainsheet	7/16"	10mm	Doublebraid	68'	1
<b>Control Lines</b>					
Downhaul	3/16"	5mm	Prestretch Polyester	10'	1
Outhaul	3/16"	5mm	Prestretch Polyester	5'	1
Jib Furler	1/8"	3mm	Leechline / Doublebraid	17'	1
Mast Rotation Control	3/16"	5mm	Prestretch Polyester	3'	1

<b>Other</b>					
Batten Tie	3/32 - 1/8"	2 -3mm	Leechline / Doublebraid	1' 5"	7
Centerboard	3/16"	5mm	Prestretch Polyester	3'	1
Center Tramp Lace	1/4"	6mm	Doublebraid	18'	1
Corner Lace	3/16"	5mm	Doublebraid	4' 2"	2
Fwd Tramp Lace	1/4"	6mm	Doublebraid	20'	1
Jib Tensioner	3/16"	5mm	Prestretch Polyester	6'	1
Jib Tensioner Control	1/4"	6mm	Shockcord	7'	1
Outhaul Bungee	1/4"	6mm	Shockcord	4' 5"	1
Splash Guard	3/32 - 1/8"	2 -3mm	Doublebraid	4'	2
Storage Cover	5/16"	7mm	Yacht Braid	2' 5"	2
Trap Adjustment	1/4"	6mm	Doublebraid	4' 6"	4
Trap Shockcord Assy	1/4"	6mm	Shockcord	14'	2
Wing Anchor	3/16"	5mm	Doublebraid	4'	2
Wing Tramp Lace	3/16"	5mm	Doublebraid	32'	2

# Hobie 21 Sport Cruiser Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Halyards</b>					
Jib Halyard	3/32 - 1/8"	2 -3mm	Leechline / Doublebraid	20'	1
Main Halyard	1/4"	6mm	Doublebraid	55'	1
<b>Sheets</b>					
Jibsheet	5/16"	7mm	Doublebraid	48'	1
Mainsheet	7/16"	10mm	Doublebraid	72'	1
<b>Control Lines</b>					
Downhaul	3/16"	5mm	Prestretch Polyester	10'	1
Outhaul	3/16"	5mm	Prestretch Polyester	6'	1
Jib Furler	1/8"	3mm	Leechline / Doublebraid	17'	1
<b>Other</b>					
Batten Tie	3/32 - 1/8"	2 -3mm	Leechline / Doublebraid	1' 6"	5
Boom Topping Lift	1/8"	3mm	Amsteel / D-12	26' 6"	1

Description	Diameter		Line Type	Length	Qty
Centerboard	3/16"	5mm	Prestretch Polyester	3'	1
Jib Tensioner	3/16"	5mm	Prestretch Polyester	5'	1
Tramp Lace Side Main	3/16"	5mm	Doublebraid	15'	1
Tramp Lace Aft Main	3/16"	5mm	Doublebraid	16'	1
Tramp Lace forward	3/16"	5mm	Doublebraid	14'	1
Trap Adjustment	1/4"	6mm	Doublebraid	5'	4
Trap Shockcord Assy	1/4"	6mm	Shockcord with 2 Loops	12'	2
Wing Tramp Lace	3/16"	5mm	Doublebraid	32'	2
Wing Anchor	3/16"	5mm	Doublebraid	4'	2

## Hobie Tandem Adventure Island Line Guide

Description	Diameter		Line Type	Length	Qty
<b>Sheets</b>					
Mainsheet	1/4"	6mm	Doublebraid	55'	1



<b>Control Lines</b>					
Furling Line	3/16"	5mm	Doublebraid	12'	1
<b>Other</b>					
Ama to Aka Retainer	1/4" or 5/16"	6mm	Shockcord	1' 6"	4
Batten Tie	3/32-1/8"	2-3mm	Leechline	1' 6"	2
Stern Deck Bungee	3/16"	5mm	Shockcord	10'	1
Front Hatch Retainer	3/16"	5mm	Shockcord	4' 6"	2
Paddle Holder on Hull	3/16"	5mm	Shockcord	1' 6"	1

## Hobie Tiger Line Guide

Line Lengths For The Tiger Vary Significantly Between Model Years And Individual Setup. The Lengths Below Are A Good Starting Point For Lines That Are Often Replaced. Other Lines Should Be Sized Based On Existing Rigging.

<b>Description</b>	<b>Diameter</b>		<b>Line Type</b>	<b>Length</b>	<b>Qty</b>
<b>Halyards</b>					
Jib Halyard	5/32"	4mm	Covered Spectra / Amsteel / D-12	26' 4"	1
Main Halyard	3/16"	5mm	Covered Spectra	65'	1

Spinnaker Halyard	3/16"	5mm	Covered Spectra	86'	1
<b>Sheets</b>					
Mainsheet	7/16"	10mm	Covered Spectra / Doublebraid	44'	1
Spinnaker Sheet	5/16"	8mm	Doublebraid	51'	1

## Hobie Club Wave Line Guide

---

These Line Lengths Are For The Hobie Wave With A Three Piece Trampoline

Description	Diameter	Line Type	Length	Qty	
<b>Sheets</b>					
Mainsheet	5/16"	8mm	Yacht Braid / Spun Braid	35' 0"	1
<b>Control Lines</b>					
Main Halyard	1/4"	6mm	Order pt# 38651001		1
Sail Downhaul	3/16"	5mm	Prestretch Polyester	5' 0"	1
<b>Other</b>					
Center Tramp Tension Line	3/16"	5mm	Prestretch Polyester	21' 0"	1

Aft Tramp Tension Line	3/16"	5mm	Prestretch Polyester	11' 0"	2
Batten Tie	7/64"	2.5mm	Dacron Leechline	1' 6"	5
Righting Line	1/2"	12mm	Hollow Braid Polypropylene	15' 0"	1
<b>Jib and Spinnaker Kits</b>					
Jib Halyard	3/16"	5mm	Prestretch Polyester	27' 0"	1
Jib Sheet	1/4"	6mm	Yacht Braid / Spun Braid	27' 0"	1
Spinnaker Halyard	3/16"	5mm	Prestretch Polyester	45' 0"	1
Spinnaker Sheet	1/4"	6mm	Yacht Braid / Spun Braid	38' 0"	1